PRINTED: 04/16/2010 FORM APPROVED Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVN2355SNF 03/16/2010 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 3050 N ORMSBY **ORMSBY POST ACUTE REHAB CARSON CITY, NV 89703** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE **PREFIX PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Z 000 Z 000 **Initial Comments** This Statement of Deficiencies was generated as a result of a complaint investigation conducted in your facility on 1/8/10 and finalized on 3/16/10, in accordance with Nevada Administrative Code, Chapter 449, Facilities for Skilled Nursing. Complaint #NV00023989 was substantiated with deficiencies cited. (See Tags Z 230 and Z 291). A Plan of Correction (POC) must be submitted. The POC must relate to the care of all patients and prevent such occurrences in the future. The intended completion dates and the mechanism(s) established to assure ongoing compliance must be included. Monitoring visits may be imposed to ensure on-going compliance with regulatory requirements. The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations. actions or other claims for relief that may be available to any party under applicable federal, state or local laws. Z230 Z230 NAC 449.74469 Standards of Care SS=D

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

to NAC 449.74433 and the plan of care developed pursuant to NAC 449.74439.

A facility for skilled nursing shall provide to each patient in the facility the services and treatment that are necessary to attain and maintain the patient's highest practicable physical, mental and psychosocial well-being, in accordance with the comprehensive assessment conducted pursuant

PRINTED: 04/16/2010

FORM APPROVED Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVN2355SNF 03/16/2010 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 3050 N ORMSBY **ORMSBY POST ACUTE REHAB CARSON CITY, NV 89703** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE PREFIX **PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Z230 Z230 Continued From page 1 This Regulation is not met as evidenced by: Based on record review and interview the facility failed to record the intake and output in accordance with the physician's order written on 12/14/09 for 1 of 3 residents (Resident #1). Severity: 2 Scope: 1 Z291 7291 NAC449.74487 Nutritional Health; Hydration SS=G 2. A facility for skilled nursing shall provide each patient in the facility with sufficient fluids to maintain proper hydration and health. This Regulation is not met as evidenced by: Based on record review and interview the facility failed to monitor the hydration status to ensure sufficient fluids were provided to prevent dehydration for 1 of 3 residents (Resident #1). Findings include: Resident #1 was admitted to the facility on 12/11/09 with diagnoses that included dysphagia, congestive heart failure, chronic airway obstructive disease, and urinary tract infection. During a recent hospitalization the resident was diagnosed with esophageal cancer. Resident #1 received nutrition and hydration from total parenteral nutrition (TPN) via a peripherally inserted central catheter (PICC) line that was inserted in the hospital. Her admission orders include an order for the TPN to run at 65 cc's per hour. She was NPO (nothing by mouth) on admission. An order was written on 12/12/09, for an intravenous (IV) solution of D10 at 65 cc's an

hour for "gentle hydration" until the TPN was delivered to the facility by the pharmacy.

PRINTED: 04/16/2010 FORM APPROVED

Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVN2355SNF 03/16/2010 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 3050 N ORMSBY **ORMSBY POST ACUTE REHAB CARSON CITY, NV 89703** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE PREFIX **PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Z291 Z291 Continued From page 2 Review of the record revealed an order written on 12/14/09, for weekly weights, intake and output each day, and for labs to be drawn weekly. The record noted that the resident was NPO: interviews revealed the resident was offered a trial of small amounts of thickened liquids. Review of the nutrition evaluation dated 12/22/09. revealed Resident #1's fluid needs were estimated to be "approximately 1500 cc," based on 33 cc's per kilogram. The TPN order of 65 cc's per hour would provide the resident with 1560 cc's in 24 hours. On 2/10/10, Resident #1's granddaughter was interviewed and reported she had visited her grandmother frequently in the evenings. She reported she spoke with several nurses regarding her grandmother appearing dehydrated and her need for additional intravenous fluids. These nurses were no longer employed by the facility and were unable to be interviewed. Review of the nurses notes in Resident #1's record revealed the nurses were offering mouth care and oral swabs were kept at the bedside for the resident's comfort. The nurses notes also documented the resident was kept clean and dry. Resident #1's TPN orders specified lab work was to be done. Labs were drawn on 12/18/09 and revealed an elevated sodium of 146; the physician decreased the sodium chloride in the TPN bag from 220 mEq to 200 mEq. The attending physician noted on the 12/18/09 lab report, "I know she is taking thickened liquid, is she taking in enough?". On 1/22/10, the physician was interviewed. She reported she knew the resident was taking some

PRINTED: 04/16/2010 FORM APPROVED

Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVN2355SNF 03/16/2010 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 3050 N ORMSBY **ORMSBY POST ACUTE REHAB CARSON CITY, NV 89703** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) COMPLETE (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE PREFIX **PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Z291 Continued From page 3 Z291 thickened liquids, but not very much. She reported she was in the room once when the great granddaughter was there and they were trying to convince Resident #1 to take some thickened coffee. The physician reported the resident wanted real coffee, not thickened coffee. The physician reported she could not recall any of the nurses contacting her regarding the family's concern of dehydration and request for additional intravenous fluids for the resident. Review of Resident #1's record failed to reveal the resident's intake and output was recorded as ordered. The IV Medication record was reviewed and revealed the TPN was documented as given 12/22/09 and 12/23/09. Further record review failed to reveal any documentation of the resident receiving the TPN. The facility was unable to provide evidence that the resident's intake and output had been recorded. Resident #1's labs were drawn 12/23/09. The labs drawn 12/23/09 revealed elevated sodium of 151 (normal range is 136-144), an elevated chloride of 123 (normal range is 101-111), an elevated blood urea nitrogen (BUN) of 37 (normal range is 8-20), and an elevated white blood count (WBC) of 18.32 (normal range is 3.70 - 10.6). Resident #1 was unresponsive on 12/23/09 and was transferred to an acute care hospital after the labs were drawn. The licensed practical nurse (LPN) who called for transport of Resident #1 on 12/23/09, was interviewed. She reported the resident seemed fine on 12/22/09. She reported on 12/23/09 the resident was not able to sit up or respond, and that she had an elevated temperature of 100.1.

PRINTED: 04/16/2010 FORM APPROVED

Bureau of Health Care Quality and Compliance STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION COMPLETED IDENTIFICATION NUMBER: A. BUILDING B. WING NVN2355SNF 03/16/2010 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER 3050 N ORMSBY **ORMSBY POST ACUTE REHAB CARSON CITY, NV 89703** SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID ID (X5) (EACH DEFICIENCY MUST BE PRECEDED BY FULL COMPLETE (EACH CORRECTIVE ACTION SHOULD BE PREFIX **PREFIX** DATE REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG TAG DEFICIENCY) Z291 Z291 Continued From page 4 Resident #1 was transferred to an acute hospital on 12/23/09. Review of the records from the acute care hospital revealed her admitting diagnoses were listed as sepsis syndrome. respiratory failure, dehydration with volume depletion, prerenal azotemia, and rapid atrial fibrillation. The ER physician noted "she does have very dry mucous membranes." The ER physician noted in the medical decision making section the patient was in atrial fibrillation and "I have a strong suspicion that part of this is due to severe dehydration and thus we are aggressively rehydrating her and resuscitating her here." The resident received two 500 cc boluses of normal saline, followed by an IV to run at 200 cc an hour while in the ER. Review of the Merck Manual for Healthcare Professionals revealed the following recommendation for the monitoring of patients receiving TPN: "An interdisciplinary team, if available, should monitor patients. Weight, CBC, electrolytes, and BUN should be monitored often. Fluid intake and output should be monitored continuously." Severity: 3 Scope: 1